

# RM-1200-XE

## Industrial 1U Shallow Depth Server Grade Rackmount PC With Dual PCIe Expansion & Redundant Power Supply

### Features Include:

- 2 x Full Height PCI Express x8 Slots
- Customisable Brushed Aluminium Front Panel
- Intel® Xeon® E Series CPU Support
- Up to 32GB DDR4 2666MHz ECC Memory
- Redundant Power Supply
- Shallow Depth Chassis
- Available For At Least 5 Years



<b>CPU Option(s)</b>	Intel® Xeon® E-2278GEL 8 core Intel® Core™ i3-8100T / i3-9100TE 4 Core Intel® Core™ i5-8500T / i5-9500TE 6 Core Intel® Core™ i7-8700T 6 Core / i7-9700TE 8 Core Others By Request
<b>Chipset</b>	Intel® C246 Coffee Lake
<b>Memory</b>	2 x DDR4 2666MHz ECC DIMM Supported 32GB Max Memory Supported (2 x 16GB)
<b>Storage</b>	Up to 2 x 2.5" Drives Supported 1 x M.2 Key M 2242/2260/2280 (PCIe x4)
<b>Power Supply</b>	90 - 264V AC Input (Redundant)
<b>I/O Ports</b>	2 x HDMI 1 x VGA 4 x Gigabit Ethernet 8 x USB 3.0 (Rear) 2 x USB 2.0 (Front) 2 x Audio (Mic In & Line Out) 2 x COM RS-232/422/485 4 x COM RS-232 Option
<b>Expansion</b>	Up to 2 x PCI Express x8 (<320mm Long) 1 x M.2 Key E 2230 (PCIe x1, CNVI & USB2.0) 1 x M.2 Key M 2242/2260/2280 (PCIe x4 & SATA3) 1 x Mini PCIe Full Size (PCIe x1 & USB 2.0) Dual PCI Option Single PCIe x16 Option 5.25" Bay Option
<b>Dimensions (W x D x H)</b>	430mm x 383mm x 44.5mm
<b>O/S Support</b>	Windows 10 Windows Server Linux
<b>Operating Temperature</b>	0°C to 40°C
<b>Certification</b>	CE

### System Overview

The Steatite **RM-1200-XE** is one of the smallest server grade industrial 1U computers that offers powerful 6-core CPU performance, dual PCIe x8 expansion and power redundancy.

Its high-end brushed aluminium front panel and a flexible design means that branding and customisation is straightforward.

Supporting many I/O interfaces as standard, and with its 5+ year availability, the Steatite **RM-1200-XE** 1U PC is ideal for a range of applications.

### I/O Interface



### Ordering Information

<b>RM-1200-XE</b>	Server Grade 1U Industrial PC based on Intel® Xeon® E Series CPUs, Up to 2 x PCIe x8 slots & power redundancy.
-------------------	--



**RM-1200-XE\_Datasheet\_05\_2022.pdf**

Technical specifications are subject to change without notice.  
E & OE Issue A.

